

Appl. No.: 09/458,602  
Filed: 12/08/99  
Page 2

Amendments to the Specification:

Please replace the following paragraphs to overcome the Examiner's objections to the specification regarding missing serial numbers.

Page 11, paragraph beginning at line 11.

al  
Therefore, AAA can be based upon the source, destination, and type of traffic. Upon receiving a packet, the AAA module will look at various parameters such as the link layer information, such as the circuit, source MAC address, VLAN tag, circuit ID, along with network information such as source IP addresses, source port. This source information is stored into a AAA subscriber table. Secondly, information is gathered about the destination, such as the destination IP addresses, destination port, to determine what type of authentication is needed to access particular services. Third, the packet is interrogated to receive information such as the protocol type, port or the packet type to determine what type of authentication is required for a packet to be authorized for network access. Once this information is gathered, a matching of the authentication requirements versus the authorization is applied. If there is a match, the packet is forwarded and allowed access. If this match fails, the subscriber information for that packet is set as pending for authorization. Pending for authorization packets require further authentication and authorization before being allowed to access the system. Authorization can be determined based upon the attributes determined by the packet, or if not matched, the user will have to provide authentication, which can be done as described in the HPR patent, Serial Number United States Patent No. 6,636,894, issued October 21, 2003, filed December 8, 1999, entitled "Systems and Methods For Redirecting Users Having Transparent Computer Access To A Network Using A Gateway Device Having Redirection Capability", in the name of inventor Short et al. The '894 Short patent is herein incorporated by reference. and incorporated herein by reference.

Appl. No.: 09/458,602  
Filed: 12/08/99  
Page 3

[Page 11, paragraph beginning at line 30.]

a!  
cont

For example, once the gateway device identifies the location from which access is requested, such as from a specific port of a hotel room, the gateway device can then determine the access rights of the user at that specific location. It should be appreciated that as an alternative to location-based identification the gateway device may identify a user or a user's computer based upon attributes other than location. For example, the gateway device may receive a MAC address identifying a particular user's computer (for example, a user in communication with the gateway device through a conventional modem), as is well known in the art, although the embodiments described herein will refer primarily to location-based identification as described above. Additionally, a user can be identified by the gateway device based upon a user ID and password which the user can input in response to a query for such information. This is discussed below and in U.S. Patent ~~Application~~ Serial Number 6,636,894, issued October 21, 2003, in the name inventor Short et al., entitled "Systems and Methods For Redirecting Users Having Transparent Computer Access To A Network Using A Gateway Device Having Redirection Capability", filed concurrently with this application and incorporated herein by reference. In addition, a user staying in a particular hotel room may be authorized access based upon the user's location. Alternatively, the user can be authorized access to the network and online services based upon the user's identification, or the user's computer, regardless where the user is obtaining access. Furthermore, access may be associated with a combination of attributes. For example, a user may be authorized access to a network where the user has input the user's identification and has accessed the network from a particular room. Such a requirement could prevent unauthorized users also staying in a particular room from obtaining network access.

Appl. No.: 09/458,602  
Filed: 12/08/99  
Page 4

Page 15, paragraph beginning at line 27.

Q<sup>2</sup>  
First, a user is deemed valid (i.e., to have access) where the user's profile in the user profile database states so. If a user is determined to be valid, the user's traffic can be allowed to proceed out of the gateway device from the portal page to the networks or online services the user wishes to access, or the user may be redirected to a portal page, typically, a more user-specific portal page, as described in U.S. Patent ~~Application~~ Serial No. 6,636,894, issued October 21, 2003, in the name inventor Short et al., entitled "Systems and Methods For Redirecting Users Having Transparent Computer Access To A Network Using A Gateway Device Having Redirection Capability, (hereinafter "Redirecting Application") filed concurrently herewith, prior to being allowed access to the destination network. For example, a user may be automatically forwarded to a user-input destination address, such as an Internet address, for example, where a user has free access associated with the user's hotel room. Alternatively, this may occur where the user has already purchased access and the user has not exhausted available access time.